



## Illinois REALTORS® RESIDENTIAL REAL PROPERTY DISCLOSURE REPORT (765 ILCS 77/35)

NOTICE: THE PURPOSE OF THIS REPORT IS TO PROVIDE PROSPECTIVE BUYERS WITH INFORMATION ABOUT MATERIAL DEFECTS IN THE RESIDENTIAL REAL PROPERTY BEFORE THE SIGNING OF A CONTRACT. THIS REPORT DOES NOT LIMIT THE PARTIES' RIGHT TO CONTRACT FOR THE SALE OF RESIDENTIAL REAL PROPERTY IN "AS IS" CONDITION. UNDER COMMON LAW, SELLERS WHO DISCLOSE MATERIAL DEFECTS MAY BE UNDER A CONTINUING OBLIGATION TO ADVISE THE PROSPECTIVE BUYERS ABOUT THE CONDITION OF THE RESIDENTIAL REAL PROPERTY EVEN AFTER THE REPORT IS DELIVERED TO THE PROSPECTIVE BUYER. COMPLETION OF THIS REPORT BY THE SELLER CREATES LEGAL OBLIGATIONS ON THE SELLER; THEREFORE SELLER MAY WISH TO CONSULT AN ATTORNEY PRIOR TO COMPLETION OF THIS REPORT.

Property Address: 885 Casper Church Rd

City, State & Zip Code: Cobden, IL 62920

Seller's Name: Tedra L Miller

This Report is a disclosure of certain conditions of the residential real property listed above in compliance with the Residential Real Property Disclosure Act. This information is provided as of September 12, 2023. The disclosures herein shall not be deemed warranties of any kind by the seller or any person representing any party in this transaction.

In this form, "aware" means to have actual notice or actual knowledge without any specific investigation or inquiry. In this form, a "material defect" means a condition that would have a substantial adverse effect on the value of the residential real property or that would significantly impair the health or safety of future occupants of the residential real property unless the seller reasonably believes that the condition has been corrected.

The seller discloses the following information with the knowledge that even though the statements herein are not deemed to be warranties, prospective buyers may choose to rely on this information in deciding whether or not and on what terms to purchase the residential real property.

The seller represents that to the best of his or her actual knowledge, the following statements have been accurately noted as "yes" (correct), "no" (incorrect), or "not applicable" to the property being sold. If the seller indicates that the response to any statement, except number 1, is yes or not applicable, the seller shall provide an explanation in the additional information area of this form.

- |     | YES                                 | NO                                  | N/A                      |  |
|-----|-------------------------------------|-------------------------------------|--------------------------|--|
| 1.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Seller has occupied the property within the last 12 months.<br>(If "no," please identify capacity or explain relationship to property.)<br><u>owner of property</u>      |
| 2.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I currently have flood hazard insurance on the property.   |
| 3.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | I am aware of flooding or recurring leakage problems in the crawl space or basement.   |
| 4.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware that the property is located in a floodplain.   |
| 5.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | I am aware of material defects in the basement or foundation (including cracks and bulges).  |
| 6.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of leaks or material defects in the roof, ceilings, or chimney.   |
| 7.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the walls, windows, doors, or floors.  |
| 8.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the electrical system.   |
| 9.  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the plumbing system (includes such things as water heater, sump pump, water treatment system, sprinkler system, and swimming pool).    |
| 10. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the well or well equipment.  |
| 11. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of unsafe conditions in the drinking water.   |
| 12. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the heating, air conditioning, or ventilating systems.   |
| 13. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the fireplace or wood burning stove.   |
| 14. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of material defects in the septic, sanitary sewer, or other disposal system.  |
| 15. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of unsafe concentrations of radon on the premises.  |
| 16. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of unsafe concentrations of or unsafe conditions relating to asbestos on the premises.  |
| 17. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of unsafe concentrations of or unsafe conditions relating to lead paint, lead water pipes, lead plumbing pipes or lead in the soil on the premises.           |
| 18. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of mine subsidence, underground pits, settlement, sliding, upheaval, or other earth stability defects on the premises.  |
| 19. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of current infestations of termites or other wood boring insects.   |
| 20. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of a structural defect caused by previous infestations of termites or other wood boring insects.  |
| 21. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of underground fuel storage tanks on the property.  |
| 22. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware of boundary or lot line disputes.   |
| 23. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I have received notice of violation of local, state or federal laws or regulations relating to this property, which violation has not been corrected.                    |
| 24. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | I am aware that this property has been used for the manufacture of methamphetamine as defined in Section 10 of the Methamphetamine Control and Community Protection Act. |

**Note:** These disclosures are not intended to cover the common elements of a condominium, but only the actual residential real property including limited common elements allocated to the exclusive use thereof that form an integral part of the condominium unit.

**Note:** These disclosures are intended to reflect the current condition of the premises and do not include previous problems, if any, that the seller reasonably believes have been corrected.

If any of the above are marked "not applicable" or "yes", please explain here or use additional pages, if necessary: \_\_\_\_\_

#5 the original cinder block basement can leak during rainy weather. Has Sump pump

#5 the original cinder block basement has some cracks in certain spots.

Check here if additional pages used: \_\_\_\_\_

Seller certifies that seller has prepared this report and certifies that the information provided is based on the actual notice or actual knowledge of the seller without any specific investigation or inquiry on the part of the seller. The seller hereby authorizes any person representing any principal in this transaction to provide a copy of this report, and to disclose any information in the report, to any person in connection with any actual or anticipated sale of the property.

**THE SELLER ACKNOWLEDGES THAT THE SELLER IS REQUIRED TO PROVIDE THIS DISCLOSURE REPORT TO THE PROSPECTIVE BUYER BEFORE THE SIGNING OF THE CONTRACT AND HAS A CONTINUING OBLIGATION, PURSUANT TO SECTION 30 OF THE RESIDENTIAL REAL PROPERTY DISCLOSURE ACT, TO SUPPLEMENT THIS DISCLOSURE PRIOR TO CLOSING.**

Seller: Jenna Miller

Date: 9-13-23

Seller: \_\_\_\_\_ Date: \_\_\_\_\_

THE PROSPECTIVE BUYER IS AWARE THAT THE PARTIES MAY CHOOSE TO NEGOTIATE AN AGREEMENT FOR THE SALE OF THE PROPERTY SUBJECT TO ANY OR ALL MATERIAL DEFECTS DISCLOSED IN THIS REPORT ("AS IS"). THIS DISCLOSURE IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THAT THE PROSPECTIVE BUYER OR SELLER MAY WISH TO OBTAIN OR NEGOTIATE. **THE FACT THAT THE SELLER IS NOT AWARE OF A PARTICULAR CONDITION OR PROBLEM IS NO GUARANTEE THAT IT DOES NOT EXIST. THE PROSPECTIVE BUYER IS AWARE THAT THE PROSPECTIVE BUYER MAY REQUEST AN INSPECTION OF THE PREMISES PERFORMED BY A QUALIFIED PROFESSIONAL.**

Prospective Buyer: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Prospective Buyer: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

A COPY OF SECTIONS 5 THROUGH 65 OF ARTICLE 2 OF THE RESIDENTIAL REAL PROPERTY DISCLOSURE ACT IS AFFIXED HERETO AND SHOULD BE REVIEWED BY PROSPECTIVE BUYER.



# ILLINOIS REALTORS® DISCLOSURE OF INFORMATION AND ACKNOWLEDGEMENT LEAD-BASED PAINT AND/OR LEAD-BASED PAINT HAZARDS



### Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

**Property Address:** 885 Casper Church Rd, Cobden, IL 62920

### Seller's Disclosure (initial)

TM (a) Presence of lead-based paint and/or lead-based paint hazards (check one below):  
 Known lead-based paint and/or lead-based paint hazards are present in the housing (explain):  
\_\_\_\_\_  
\_\_\_\_\_

Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

TM (b) Records and Reports available to the seller (check one below):  
 Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below): \_\_\_\_\_  
\_\_\_\_\_

Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

### Purchaser's Acknowledgment (initial)

- \_\_\_\_\_ (c) Purchaser has received copies of all information listed above.
- \_\_\_\_\_ (d) Purchaser has received the pamphlet *Protect Your Family From Lead in Your Home*.
- \_\_\_\_\_ (e) Purchaser has (check one below):
  - Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection of the presence of lead-based paint or lead-based paint hazards; or
  - Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

### Agent's Acknowledgment (initial)

JK (f) Agent has informed the seller of the seller's obligations under 42 U.S.C. 4852d and is aware of his/her responsibility to ensure compliance.

09/13/23 2:35 PM CDT dotloop verified  
**Certification of Accuracy**

The following parties have reviewed the information above and certify to the best of their knowledge, that the information they have provided is true and accurate.

Seller Jennie Miller Date 9-13-23 Purchaser \_\_\_\_\_ Date \_\_\_\_\_

Seller \_\_\_\_\_ Date \_\_\_\_\_ Purchaser \_\_\_\_\_ Date \_\_\_\_\_

Agent Jamie Keller dotloop verified 09/13/23 2:35 PM CDT 1CMR-271W-A5IT-TWQX \_\_\_\_\_ Date \_\_\_\_\_

# DISCLOSURE OF INFORMATION ON RADON HAZARDS

(For Residential Real Property Sales or Purchases)

## Radon Warning Statement

Every buyer of any interest in residential real property is notified that the property may present exposure to dangerous levels of indoor radon gas that may place the occupants at risk of developing radon-induced lung cancer. Radon, a Class-A human carcinogen, is the leading cause of lung cancer in non-smokers and the second leading cause overall. The seller of any interest in residential real property is required to provide the buyer with any information on radon test results of the dwelling showing elevated levels of radon in the seller's possession.

The Illinois Emergency Management Agency (IEMA) strongly recommends ALL homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and mitigated if elevated levels are found. Elevated radon concentrations can easily be reduced by a qualified, licensed radon mitigator.

**Property Address:** 885 CasperChurch Rd, Cobden, IL


### Seller's Disclosure (initial each of the following which applies)

- (a) \_\_\_\_\_ Elevated radon concentrations (above EPA or IEMA recommended Radon Action Level) are known to be present within the dwelling. (Explain)
- (b) \_\_\_\_\_ Seller has provided the purchaser with the most current records and reports pertaining to elevated radon concentrations within the dwelling.
- (c) TM Seller either has no knowledge of elevated radon concentrations in the dwelling or prior elevated radon concentrations have been mitigated or remediated.
- (d) TM Seller has no records or reports pertaining to elevated radon concentrations within the dwelling.

### Purchaser's Acknowledgment (initial each of the following which applies)

- (e) \_\_\_\_\_ Purchaser has received copies of all information listed above.
- (f) \_\_\_\_\_ Purchaser has received the IEMA approved Radon Disclosure Pamphlet.

### Agent's Acknowledgment (initial) (if applicable)

- (g)  Agent has informed the seller of the seller's obligations under Illinois law.

### Certification of Accuracy

The following parties have reviewed the information above and each party certifies, to the best of his or her knowledge, that the information he or she provided is true and accurate.

**Seller** *Linda S. Miller*  
Printed Name

**Seller** \_\_\_\_\_  
Printed Name

**Seller** \_\_\_\_\_ **Date** 9-13-23  
Signature

**Seller** \_\_\_\_\_ **Date** \_\_\_\_\_  
Signature

**Purchaser** \_\_\_\_\_  
Printed Name

**Purchaser** \_\_\_\_\_  
Printed Name

**Purchaser** \_\_\_\_\_ **Date** \_\_\_\_\_  
Signature

**Purchaser** \_\_\_\_\_ **Date** \_\_\_\_\_  
Signature

**Agent** *Jamie Keller* dotloop verified  
09/13/23 2:35 PM CDT  
RYFC-SFMZ-HPOY-X7WO  
Printed Name

**Agent** \_\_\_\_\_  
Printed Name

**Agent** \_\_\_\_\_ **Date** \_\_\_\_\_  
Signature

**Agent** \_\_\_\_\_ **Date** \_\_\_\_\_  
Signature